


1.5 COMET FINISHED PROGRESSIVE REGULAR CORRIDOR 75-17MM

FINISHED PROGRESSIVE

AVAILABLE RANGE ADD



AVAILABLE RANGE SPHERE

TECHNICAL INFORMATION

INDEX	LENS TYPE	ABBE VALUE	GRAVITY	UV LEVEL	DIAMETER	MATERIAL
1.499	PROGRESSIVE	59	1.31	360	75/17	PPG


COATING OPTIONS

UNCOATED	HARD COATED	HARD MULTI COATED
UC	HC	HMC


ANTI-REFLEX COLOR AVAILABILITY



LENS COLOR AVAILABILITY



RANGE KEY AVAILABILITY



REGAULR CORRIDOR TECHNICAL DATA

FITTING CROSS (ABOVE OF MRP)	2.0MM
DISTANCE CIRCLE (ABOVE OF MRP)	8.0MM
NEAR AREA CIRCLE	17.0MM + 8° DOWN TO CENTER AND SIDE
CORRIDOR WIDTH	7.0MM (1.0 DIOPTRER SCALE)
ADDITION AREA WIDTH	18.00MM (1.0 DIOPTRER SCALE)
MAXIMUM NASAL ASTIGMATISM	NO MORE THAN ADDITION

* Measured on base 4.00 addition 2.00

SPECIFICATION CHART

SPH	CONCAVE	CONVEX	E.T(mm)	C.T(mm)
-0.25	4.50	4.25	2.20	1.90
-0.50	4.75	4.25	2.60	1.90
-0.75	5.00	4.25	3.00	1.90
-1.00	5.25	4.25	3.30	1.90
-1.25	3.75	2.50	3.40	1.70
-1.50	4.00	2.50	3.80	1.70
-1.75	4.25	2.50	4.10	1.70
-2.00	4.50	2.50	4.40	1.70
0.00	4.25	4.25	2.00	2.00
+0.25	4.00	4.25	2.00	2.30
+0.50	3.75	4.25	1.60	2.30
+0.75	3.50	4.25	1.60	2.60
+1.00	3.25	4.25	1.60	3.00
+1.25	3.00	4.25	1.60	3.30
+1.50	2.75	4.25	1.60	3.70
+1.75	2.50	4.25	1.60	4.00
+2.00	2.25	4.25	1.60	4.30
+2.25	2.00	4.25	1.60	4.70
+2.50	1.75	4.25	1.60	5.00
+2.75	1.50	4.25	1.60	5.40
+3.00	1.25	4.25	1.60	5.70

A2 PROVISION *MS*

